Gestetner

Customised multi-tasking communication centres



High performance black-and-white document handling

Taking office productivity to a whole new level

The powerful, black-and-white multifunctional MP 4000/MP 4000B and MP 5000/MP 5000B raise the bar for office productivity. Upgradeable and customisable, they combine straightforward document and device management with high performance and simple operation. In addition, various scanning possibilities enable you to communicate information throughout your office in a snap.

MP 4000/MP 4000B

- High output speed: 40 ppm
- User-friendly operation
- Wide range of customisation possibilities
- · Variety of finishing options
- MP 4000: standard colour scanning

MP 5000/MP 5000B

- · Maximum productivity at 50 ppm
- · Straightforward and intuitive
- · Unique and custom-made
- · Versatile finishing
- MP 5000: standard colour scanning



Smart tools to optimise your entire workflow

Creating an efficient office workflow entails more than making a simple copy or printout. That is why Gestetner's MP 4000/MP 4000B and MP 5000/MP 5000B focus on user-friendly operation and professional finishing. Easy document distribution and advanced security have been thought of as well. Everything you need to stay in the lead for years to come.


Unique colour scanning & distribution

Save time and costs by distributing your information digitally. Send scanned files directly by e-mail or to a dedicated network folder. Or reduce network traffic with 'scan to URL'. The MP 4000/MP 5000 take distribution even further. Send colour documents as e-mail attachments by combining 'scan to e-mail' and 'colour scanning'.



Professional faxing

- · Automatically distribute incoming faxes to e-mail or folder.
- Transmit faxes directly from the convenience of your own PC (LAN fax).
- Reduce costs by using the Internet for long distance faxing (Internet fax).
- Virtually eliminate the costs of sending (long distance) faxes by transmitting fax data over the IP/VoIP network (IP fax).



Copy Data Security Unit




Essential security

To protect your business, the MP 4000/MP 4000B and MP 5000/MP 5000B are equipped with state-of-the-art security measures. These include data encryption, IP filtering and various types of authentication. The Data Overwrite Security Unit erases the temporary data on the Hard Disk Drive. Documents protected with a watermark are greyed out when copied on devices with the Copy Data Security Unit.

Expert finishing

For that professional touch, the MP 4000/MP 4000B and MP 5000/MP 5000B put a range of finishing options at your disposal. Simply add the 1,000-sheet finisher or 3,000-sheet finisher and produce your own presentation material, reports and handouts. High quality booklets are easily created with the 2,000-sheet booklet finisher.





The MP 4000/MP 4000B and MP 5000/MP 5000B support a variety of paper formats from B6 to A3. You can even print on thick paper up to 220 g/m² to create report covers and flyers. The vast maximum paper capacity of 4,400 sheets makes sure you can effortlessly handle larger jobs. No need to waste time on continuous refills.

At the forefront of eco care

Like all Gestetner products, the MP 4000/MP 4000B and MP 5000/ MP 5000B reflect Gestetner's commitment to the environment through:

- · the usage of toxic free materials,
- · energy-saving toner production,
- · standard paper-saving duplex capability,
- extremely low power consumption,
- clean and quiet operation.



Run your business efficiently, today and tomorrow

To meet both your current and future demands, upgradeable office equipment is essential. Gestetner's MP 4000/MP 4000B and MP 5000/MP 5000B help you stay on top of the game. They are fully customisable and offer numerous benefits to increase your productivity.

- All-in-one: print, copy, scan and fax from one device.
- High productivity at 40/50 black-and-white pages per minute.
- · Standard paper-saving duplex capability.

Exceptional productivity

Your meeting starts in 5 minutes and you still need to create a few copies of an extensive report. The MP 4000/MP 4000B and MP 5000/MP 5000B give your productivity a boost and set your mind at ease. They produce output at a rapid 40/50 pages per minute, with equal duplex speeds. Waiting time is further minimised with a fast 13-second warm-up and a first copy speed of 4.1/3.5 seconds.

Multifunctional wizards

Printing, copying, faxing or scanning, all can be done from one office device. Network connectivity is wide, so these office hubs can be smoothly integrated into your existing network. They come with all the tools for efficient document management and advanced device monitoring. The handy 'mail to print' feature, for instance, directly prints out e-mail attachments without requiring a printer driver.

Tailor-made efficiency

The MP 4000/MP 4000B and MP 5000/MP 5000B can be customised to your exact requirements. Choose from various printer/scanner upgrade options* and build the system that perfectly suits your needs.

* RPCS™ printer unit, Printer Enhance Unit and Scanner Enhance Unit.



SPECIFICATIONS

MP 5000/MP 5000B Aficio

COPIER			6	SCANNER
Copying process:	Twin laser beam scanni	ing &		Scan speed:
	electro photographic pri	inting		
Copy speed:	MP 4000/MP 4000B:	40 copies per minute		
	MP 5000/MP 5000B:	50 copies per minute		
Resolution:	600 dpi			
Multiple copy:	Up to 999			Resolution:
Warm-up time:	13 seconds			Original size:
First output speed:	4.1/3.5 seconds			Bundled driv
Zoom:	25 - 400% (in 1% steps	s)		Scan to e-ma
Memory:	MP 4000B/MP 5000B:	Standard: 256 MB		Destination a
		Maximum: 512 MB		Address bool
		+ 40 GB Hard Disk Drive		Scan to folde
	MP 4000/MP 5000:	Standard/maximum: 768 MB		Destination:
		+ 40 GB Hard Disk Drive		Destination:
Paper input capacity:	Standard:	2 x 550-sheet paper trays	- ∧ ∧	SOFTWARE
		1 x 100-sheet bypass tray	_	
	Maximum:	4,400 sheets		SmartDevice
Paper output capacity:	Standard:	500 sheets		DeskTopBind
	Maximum:	3,750 sheets		
Paper size:	B6 - A3			RPCS™ P
Paper weight:	Paper trays/duplex tray:			
	Bypass tray:	52 - 220 g/m ²		Print speed:
Dimensions (W x D x H):	670 x 677 x 910 mm			
Weight:	Less than 97 kg			Printer langu
Power source:	220 - 240 V, 50/60 Hz			
Power consumption:	Operation:	Maximum 1.5 kW		Resolution:
•	Energy saver mode:	MP 4000B/MP 5000B: 99.6 W		
		MP 4000/MP 5000: 105 W	∂ [•	FAX (OPT

PRINTER/SCANNER (OPTION FOR MP 4000B/MP 5000B)
--

PRINTER			
Print speed:	MP 4000/MP 4000B:	40 prints per minute	
•	MP 5000/MP 5000B:	50 prints per minute	
Printer language:	Standard:	PCL5e, PCL6, RPCS™	
	Option:	Adobe [®] PostScript [®] 3™	
Resolution:	Maximum 600 x 600 dpi		
Interface:	Standard:	USB 2.0, Ethernet 10 base-T	
		100 base-TX	
	Option:	Bi-directional IEEE 1284	
		Wireless LAN (IEEE 802.11a/g)	
		Bluetooth, Gigabit Ethernet	
Memory:	MP 4000B/MP 5000B:	512 MB	
		+ 40 GB Hard Disk Drive	
	MP 4000/MP 5000:	768 MB	
		+ 40 GB Hard Disk Drive	
		(standard)	
Network protocol:	TCP/IP, IPX/SPX, AppleTalk		
Supported environments:	Windows	[®] 95/98SE/Me/NT4.0/2000/XP	
		Vista/Server 2003	
	Novell [®] NetWare [®]	3.12/3.2/4.1/4.11/5.0/5.1/6/6.5	
	UNIX Sun® Solaris 2.6/7/8/9/10		
		HP-UX 10.x/11.x/11iv2	
		SCO OpenServer 5.0.6/5.0.7	

RedHat[®] Linux 6.x/7.x/8.x/9.x/Enterprise

Macintosh OS X v10.1 or later (native mode)

NDPS Gateway Netware 5.1 (SP8 or later) 6.0 (SP5 or later)/6.5 (SP3 or later)

IBM® AIX v4.3/5L v5.1/5L v5.2/5.3

Macintosh 8.6 - 9.2x

SAP® R/3® (3.x or later)

400 Host Print Transform

IBM® iSeries / AS/400 using OS

Scan speed:	MP 4000B/MP 5000B:	B/W: Maximum	
		61 originals per minute	
		(MH, A4/LEF)	
	MP 4000/MP 5000:	Full colour: Maximum	
		31 originals per minute	
		(MH, A4/LEF)	
Resolution:	Maximum 600 dpi (TWAIN: 1,200 dpi)		
Original size:	A5 - A3		
Bundled drivers:	Network TWAIN		
Scan to e-mail:	SMTP, TCP/IP		
Destination addresses:	Maximum 500 per job (stored: maximum 2,000)		
Address book:	Via LDAP or locally on Hard Disk Drive		
Scan to folder:	SMB, FTP, NCP protocol (with login security)		
Destination:	Maximum 50 folders per job		

RPCS™ PRINTER UNIT (OPTION FOR MP 4000B/MP 5000B)

SmartDeviceMonitor™, Web SmartDeviceMonitor™ 2, Web Image Monitor,

Print speed:	MP 4000/M	P 4000B:	40 prints per minute
	MP 5000/M	P 5000B:	50 prints per minute
Printer language:	Standard:		RPCS™
	Option:	PCL5e, PCL6	6, Adobe [®] PostScript [®] 3™
Resolution:	Maximum 6	600 x 600 dpi	

(FAX (OPTION)

DeskTopBinder™ Lite

TAR (OF HOIL)			
Circuit:	PSTN, PBX		
Compatibility:	ITU-T (CCITT) G3		
	ITU-T (T.37) Internet Fax		
	ITU-T (T.38) IP Fax		
Modem speed:	Maximum 33.6 Kbps		
Resolution:	Standard/detail:	200 x 100/200 dpi	
	Maximum:	400 x 400 dpi (option)	
Compression method:	MH, MR, MMR, JBIG		
Scanning speed:	56 cpm (200 x 100 dpi, A4/SEF)		
Memory:	Standard/maximum: 12/44 MB		
Memory backup:	Yes		

OTHER OPTIONS

Platen cover, 100-sheet Automatic Reverse Document Feeder, 2 x 550-sheet paper trays, 2,000-sheet large capacity tray, 1,200-sheet large capacity tray, 125-sheet one-bin tray, 1,000-sheet finisher, 3,000-sheet finisher, 2,000-sheet booklet finisher, 2/4 hole punch unit, Scandinavian 4 hole punch unit, 2nd Super G3 port, Data Overwrite Security Unit, Copy Data Security Unit, File Format Converter, Browser Unit, Scanner enhance unit (for printer option), Printer enhance unit (for RPCS™ printer unit), VM Card (Java™), Key Counter Bracket, PI Board, Scanner accessibility option, Fax Marker, Bridge Unit, Intelligent Printer Data Stream Units, HDD Encryption Unit, Counter Interface Unit, Professional software solutions

For availability of models, optional apparatus and software, please consult your local Gestetner supplier.

















ISO9001: 2000 certified

Gestetner has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

Gestetner believes in conserving the earth's precious natural resources. This brochure is printed on environmentally friendly paper: 50% recycled fibres, 50% chlorine free bleached pulp.

These products comply with EU RoHS directive (RoHS: Restriction of Hazardous Substances, July 2006).

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2007 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

www.gestetner.com

Gestetner

