

Giving Shape to Ideas





Up to 22 ppm print/copy output to keep pace with rising demands Optional dual scanning at up to 160 originals per minute Large 9" color display with quick tablet-like interface Touchscreeen for simple control and 3rd-party software integration

Built-in Emperon® print system, universal printer drivers Simitri® HD polymerized toner for high-resolution imaging

Standard 250 GB HDD for on-board document storage Meets ISO 15408 and IEEE 2600.1 Security standards

New power-saving design with quick recovery from sleep mode

3,650-sheet maximum capacity, tab printing support, carbon-copy printing

Advanced authentication, secure print release, remote firmware updates

Options for booklet-making, stapling, hole punch and more

Downloadable apps to help you work faster and smarter

i-Options to add functions for working more efficiently

EPEAT Gold-certified, low power consumption to cut costs

COLOR MID-VOLUME MULTIFUNCTION PRINTER







bizhub C224e

The bizhub C224e packs more color power in a smaller footprint, increases your productivity with 22 ppm print/copy output in both color and B&W, speeds the flow of information with optional 160 opm dual scanning, and does it all with enhanced touch-screen convenience that's as simple as a familiar tablet.

System Overview	
System memory	2,048 MB
System hard disk	250 GB
Interface	10-Base-T/100-Base-TX/1,000-Base-T Ethernet, USB 2.0
Network protocols	TCP/IP (IPv4 / IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP
Dual scan document	Scanning/Copying: up to 11" x 17"
feeder (optional)	Printing: up to 11" x 17" full bleed on 12" x 18" paper
	Custom paper sizes
Printable paper size	Banner paper max: 11.75" x 47.25" Printing: Up to 12" x 18" (11" x 17" full bleed on 12" x 18" paper)
Printable paper Size	Custom paper sizes
	Banner paper max: 11.75" x 47.25"
Printable paper weight	52-300 gsm
Paper input capacity	Standard: 1,150 sheets Max.: 3,650 sheets
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 52-256 gsm
Large capacity tray	2,500 sheets / 8.5" x 11" / 52-256 gsm
PC-410 (optional)	
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes / 50-300 gsm
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52-256 gsm
Finishing modes	Offset, group, sort, punch, half-fold, tri-fold, booklet
Output capacity	Max. with finisher: 3,300 sheets
	Max. without finisher: 250 sheets
Stapling (optional)	Max.: 50 sheets or 48 sheets + 1 cover sheet (up to 209 gsm)
Stapling output	Max.: 1,000 sheets
capacity	Harta Oakasta
Tri-fold	Up to 3 sheets
Tri-fold capacity	Max.: 30 sheets (tray)
Booklet	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)
Booklet output capacity	Max.: 100 sheets (tray)
Copy/print volume	Max.: 80,000 pages / month ¹
Toner lifetime	Black: 27,000 pages / CMY: 25,000 pages
Imaging unit lifetime	Black: 70,000 pages / 590,000 pages (Drum / Developer)
illiaging ant illoanio	CMY: 55,000 pages
Power consumption	120 V / 50/60 Hz, Less than 1.5 kW (system)
System dimensions	24.2" x 27" x 31" (W x D x H)
System weight	Approx. 185.18 lb

		eci		

Copying process	Electrostatic laser copy, tandem, indirect			
Toner system	Simitri® HD Polymerized Toner			
Print speed (8.5" x 11")	B&W / Color: up to 22 ppm (Portrait)			
Print speed (11" x 17")	B&W / Color: up to 14 ppm (Portrait)			
Autoduplex speed (8.5" x 11")	B&W / Color: up to 22 ppm (Portrait)			
1st copy out time	B&W: 6.9 sec. / Color: 8.3 sec.			
Warm-up time	Approx. 20 sec. ²			
Copy resolution	600 x 600 dpi			
Gradations	256 gradations			
Multi-copy	1-9,999			
Original format	Up to 11" x 17"			
Magnification	25-400% in 1% steps, auto zooming			
Copy functions	Electronic sorting, multi-job, adjustments (contrast, sharpness, image density), proof copy, interrupt mode, color mode, separate scan, sort/group, combination, original selection, ID card copy, 2-in-1, 4-in-1			

Printer Specifications

i illitoi opeoilloutiolis	
Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi
PDL	PCL6 (XL 3.0), PCL 5c, PostScript 3 (ver. 3016), XPS
Operating systems	Windows (x32/x64): XP / Vista / 7 / 8 Windows Server (x32/x64): 2003 / 2008 / 2008 R2 ³ / 2012 ³ Macintosh OS X 10.2.8 or later UNIX / Linux / Citrix
Printer fonts	80 PCL Latin, 137 PostScript 3
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print

Scanner Specifications

B&W / Color: up to 160 ipm with optional DF-701
Max.: 600 x 600 dpi
Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan
JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)
2,100 (shared with fax), LDAP support
Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview

Fax Specifications

Fax	Super G3 (optional)			
Transmission	Analog, i-Fax, Color i-Fax, IP-fax			
Resolution	Max.: 600 x 600 dpi (ultra-fine)			
Compression	MH, MR, MMR, JBIG			
Modem	Up to 33.6 Kbps			
Destinations	2,100 (single + group)			
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Email/ FTP/SMB. up to 400 job programs			

User Box

Max.: 3,000 documents or 10,000 pages
Public
Personal (with password or authentication)
Group (with authentication)
Secure print, Encrypted, PDF print, Fax receipt, Fax polling
Reprint, combination, download, sending (Email/FTP/SMB and fax), copy box to box

		ıres

Security	ISO 15408 EAL
	IEEE 2600.1
	IP filtering and port blocking
	SSL2, SSL3 and TSL1.0 network communication
	IPsec support
	IEEE 802.1x support
	User authentication
	Authentication log
	Secure print
	Hard disk overwrite (8 standard types)
	Hard disk data encryption (AES 128)
	Memory data auto deletion
	Confidential fax receipt,
	Print user data encryption
	Copy protection (Copy Guard, Password Copy) optional
Accounting	Up to 1,000 user accounts
	Active Directory support
	(user name + password + e-mail + smb folder)
	User function access definition
	Optional Biometric authentication (finger vein scanner)
	Optional ID card authentication (ID card reader)
Software	PageScope Net Care Device Manager
	PageScope Data Administrator
	PageScope Box Operator
	PageScope Direct Print
	Print Status Notifier
	Driver Packaging Utility
	Log Management Utility

Log wariagement durity

Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis.

This specification is a guidline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs

Warm-up time may vary depending on the operating environment and usage

Supports x64 only

Components and options

Components and option	S
AU-102 Biometric	Finger vein scanner
authentication	
EK-606 USB I/F kit	USB keyboard connection
EK-607 USB I/F kit	USB keyboard connection, Bluetooth
DF-624	Reversing automatic document feeder, capacity 100 originals
Document feeder	
DF-701	Dual scan automatic document feeder, capacity 100 originals
Document feeder	
DK-510 Copier desk	Provides storage space for print media and other materials
FK-508 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
FK-511 Fax board	Super G3 fax, digital fax functionality
FS-533 Staple finisher	50 sheets stapling, 500 sheets max. output
FS-534 Staple finisher	50-sheet stapling, 3,300 sheets max. output
FS-534 + SD-511	50-sheets staple finisher, 20-sheets booklet finisher,
Booklet finisher	3,300 sheets max. output
ID card reader	Various ID card technologies
JS-506 Job separator	Separation for fax output etc.
KH-102	To place USB keyboard
Keyboard holder	
KP-101 10-Key pad	For use instead of touchscreen
LK-101 v3	Web browser
Web browser	
LK-102 v3	PDF/A, PDF encryption, digital signature
PDF enhancements	
LK-104 v3	Provides voice guidance functions
Voice guidance	
LK-105 v3	Searchable PDF
OCR text recognition	0 1 1 1 1 2 2
LK-106 Barcode fonts	Supports native barcode printing
LK-107	Supports native Unicode printing
Unicode fonts	Supports flative officode printing
LK-108	Supports native OCR A and B font printing
OCR A and B fonts	oupports hadve out that and a forte printing
LK-110 Enhanced	Generates various file formats incl. DOCX, XLSX and combines
image support	LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)
LK-111	Print data compression for reduced network impact
ThinPrint® Client	
MK-728 Mount kit	Installation kit for FK-508 fax board
MK-735 Mount kit	Installation kit for ID card reader
OC-511 Original cover	Cover instead of auto document feeder
PC-110	5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm
Universal tray (x1)	•
PC-210	5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm
Universal tray (x2)	
PC-410 Large	8.5" x 11", 2,500 sheets, 52-256 gsm
capacity tray	
PK-519 Punch kit	2/3 hole punching, autoswitching
for FS-533	
PK-520 Punch kit	2/3 hole punching, autoswitching
for FS-534	0 0 1/ 11 /0 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SC-508 Security kit	Copy Guard function (2 x required when optional DF-701 is installed)
UK-204	Memory extension for i-Options
i-Option memory	Me I I I I I I I I I I I I I I I I I I I
UK-208 Wireless LAN	Wireless LAN to network connector
UK-209 DS board for	bizhub RA when machine is equipped with DF-624
bizhub RA	A. Abandina da da anana
WT-506 Working table	Authentication device placement



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446





© 2014 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, Count on Konica Minolta, bizhub, PageScope, Emperon, Simitri, and Giving Shape to Ideas are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



