









# Powerful performance, lightning and the biggest, bold

UP TO **47"** —
BANNER SIZE OUTPUT

Blazing color print speeds
of up to 65ppm color
and 75ppm B&W

Amazing color scan speeds of up to 77spm

To say there has never been a multifunction system quite like this before would not be an exaggeration. Toshiba has taken more than 130 years of leading innovation—with 60 of those years including office equipment—and produced the flagship e-studio5520c/6520c/6530c Series. High quality color images are delivered at up to 65 pages per minute, with black and white delivered at up to 75 pages per minute. Advanced security features meet the demanding needs of a variety of office equipment. Various operations have been designed to be the most user-friendly to date. For instance, a 10.4" super VGA control panel includes one-touch access keys for all major functions. It also offers large text and an interactive copier diagram. And with over 500 patents pending, this Series is, quite literally, one of the biggest breakthroughs in color multifunction products since color printing.

# Everything you need. Far more than you'd expect.

The e-studio5520c/6520c/6530c Series satisfies the increasing input and output demands for color documents in busy office environments. Additional features include net-ready third generation e-BRIDGE architecture, unprecedented image quality, powerful paper handling capacity, and versatile scanning functions. Not to mention new, cost-effective ERU units that are easy to replace as well as a self-refreshing development system. Also, a multitude of tasks can be performed simultaneously, without interruption. It's Toshiba's boldest innovation yet.

# speed, est color ever.



Toner cartridges can be changed during operation—"on the fly." A Tandem configuration is available, and the paper can also be changed without interrupting printing.





## **Productivity**

- > Color print speeds of up to 65ppm, B&W up to 75ppm
- > Color scan speeds of up to 77spm at 300 x 300dpi resolution
- > e-BRIDGE Open Platform support
- > New external IH fuser system
- ➤ 12" x 18" 140lb index automatic duplexing from the drawers
- ➤ 12" x 18" full bleed on 13" x 19" stock through the bypass
- ➤ 110lb cover support through the bypass
- > Banner mode printing (12" x 47")
- > Toner changing on the fly
- > Paper changing on the fly from the tandem LCF
- > Automatic paper size detection from the drawers (cassettes)
- > Blank page omission for copying and printing
- > Outside Erase for copying books and 3D objects
- ➤ High compression PDF scanning (Slim PDF)
- > Full featured new Toshiba multi-position and saddle stitch finishers

## Operability

- ➤ New Toshiba developed 10.4 inch SVGA tilting color control panel for easier operation
- > My" Menu" button displays a customized screen for each authenticated user
- > Scan Preview
- > New Control Panel Print Function button
- > Fax Function Interface
- > Ergonomically designed paper drawers
- > Private Printing feature

# Serviceability

- > Easy Replaceable Unit Design
- ➤ Self Refresh Developing System with maintenance free design
- ➤ Long Life consumables and duty cycles up to 275K a month

# Image Quality

- ➤ Better image quality is achieved with the the eFINE image processing system
- ➤ Patented ASICs provide superb clarity and rich text renditions in all scanning, printing and copying jobs
- > New e-Fine Toner and Developer
- > True 1200 x 1200 dpi print resolution
- > New auto toner control ATC system
- > New Image quality control function
- > ICC profile support



E-STUDIO 5520 c / 6520 c / 6530 c

# Not only have we outdone the competition, we've outdone ourselves.

#### Operation so sophisticated, anyone can use it.

Often the most complicated aspect of MFP technology is designing a technologically advanced system that is simple to operate. Part of the genius of this Series is its sophisticated simplicity. A 10.4" color control panel is easy to read (even in low light), section 508 compliant, easy to navigate, and displays a thumbnail preview of scanned documents. Separate hard keys are also available for the most common and popular functions.

#### Have an urgent need?

In a hurry? Paper as well as toner can be replaced while the unit is in operation, so you don't have to stop and take the time to replace them.



change paper & tone



### Powerful performance, lightning speed, and the biggest, boldest color ever.

Brilliant color images are delivered at up to 65 pages per minute, with black and white up to 75 pages per minute. It's high volume output and high quality, affordable color, all wrapped up into one. The e-STUDIO5520c/6520c/6530c Series. Only from Toshiba.





control panel

Un to 600 dni

SCAN SPECIFICATIONS

Scan Resolution



**USB** direct print from & scan to from every drawer

SPECIFICATIONS	
Copying Process	4-Drum Electrostatic Photographic
copying roccss	Transfer System with Internal Transfer Belt
Copying Type	4-Beam Color Laser (8 bit)
Copy/Print Resolution	600 x 600 dpi / 1200 x 1200 dpi
Copy/Print Speed	e-STUDIO5520c – 55 PPM Color / 55 PPM B&W
Сорулгани эреец	e-STUDIO6520c - 65 PPM Color / 65 PPM B&W
Wasse Ha Tires	e-STUDIO6530c - 65 PPM Color / 75 PPM B&W
Warm-Up Time	Approx. 180 Seconds
First Copy Out Time	e-STUDIO5520c-6.5 Seconds Color / 5.3 Seconds B&W
	e-STUDIO6520c - 6.5 Seconds Color / 5.3 Seconds B&W
	e-STUDIO6530c - 6.5 Seconds Color / 4.6 Seconds B&W
Duty Cycle	225K / 250K / 275K Copies
Multiple Copying	Up to 9999 Copies
Acceptable Paper Size	Cassette: ST-R to 12" x 18" (17 lbs. Bond - 140 lbs. Index)
and Weight	Bypass: ST-R to 13" x 19" (17 lbs. Bond - 110 lbs. Cover)
	ST-R to 12" x 47" Banner (17 lbs. Bond - 110 lbs. Cover)
	LCF: LT (17 lbs. Bond - 140 lbs. Index)
Memory (Min/Max)	Page + Main Memory: 2 GB, PowerPC
	HD: 80+ GB
Reduction/Enlargement	25% to 400%
Bypass	100-Sheet Bypass (17 lbs. Bond - 110 lbs. Cover)
Control Panel	10.4 Color Super VGA Tiltable LCD Touch Panel
Paper Supply	Up to 6,000-Sheet Input Capacity (Tandem Version + LCF)
	4 Drawer Version: 4 x 540-Sheet Cassettes (2,160 Sheets)
	Tandem Version: 2 x 540-Sheet Casettes + 2,320-Sheet LCF
	100-Sheet Bypass
	Optional 1 x 2,500-Sheet LCF
Duplex	Standard Trayless Automatic Duplex Unit
·	(17 lbs. Bond - 140 lbs. Index)
Dimensions	Approx. 38.582" x 27.480" x 60.629" (W x D x H)
	Weight Approx. 573 lbs.
PM Cycle	225K / 250K / 275K
CMYK Toner Yield	CMY: 26.5K, K: 73K
Power Supply	120 V, 20 Amps
Power Consumption	Maximum 2.0 kW
PRINT SPECIFICATIONS	
PDL Support	PCL6 & PostScript 3
Operating Systems	Netware 6.x, Windows 2000/XP,
operating dysterns	Windows Server 2003, Vista, Citrix MetaFrame,
	Macintosh, Linux, UNIX
Protocol Support	IPX/SPX, TCP/IP, V4/V6 Dual Stack, Ethertalk, AppleTalk PAP,
Trotocor Support	NetBIOS Over TCP/IP, LPR/LPD, IPP, SMB, SNMP,
	Netware, Port 9100, Bluetooth (HCRP)
Drivers	Windows 2000, Server 2003, Vista, XP
טו ועכו ז	Macintosh OS 10.1/10.2/10.3, 10.4, 10.5 (OS 10.4 PPD)
	UNIX, AS400 via iData & Port 9100, SAP R/3
Connectivity	10/100/1000BaseTX Ethernet, 802.11b/q
Connectivity	· · · · · · · · · · · · · · · · · · ·
Davies Managament	Wireless LAN, USB, Bluetooth (HCRP)
Device Management	TopAccess WHOL Novell
Certification	WHQL, Novell

Scan Resolution	Up to 600 dpi
Scan Speed	Up to 77 SPM Color / 77 SPM B&W
File Format	TIFF, PDF, JPEG, XPS
Authentication	LDAP, SMTP, Windows Domain
FACSIMILE SPECIFICATION	NS
Compatibility	Super G3
Data Compression	MH / MR / MMR /JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	33.6 Kbps
Fax Memory	500 MB Transmission, 200 MB Reception (HDD)
Memory Transmission	100 Jobs, 1,000 Destinations Max.
	400 Destinations IJob
Scan Speed	.7 Seconds Per Page, Maximum 50 SPM
E-FILING SPECIFICATIONS	
Operation Method	Color Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder
	200 Pages Per Document
OPTIONS	
MP2501 Large Capacity	2,500-Sheet Drawer, Letter
Feeder (LCF)	
MJ1103 Multi-Position	Stationary Tray 250-Sheets
Finisher	Finishing Tray 3,000-Sheets
	Staple Capacity: 50 Sheets
MJ1104 Saddle-Stitch	Stationary Tray 250-Sheets
Finisher	Finishing Tray 3,000-Sheets
	Staple Capacity: 50 Sheets
	Saddle Tray Stitcher Up to 50 Sets
MJ6102 Hole Punch Unit	(for MJ1103/MJ1104) 2- or 3-Hole Punch Capability
GA1310 EFI Controller	
GD1270 Fax Board	
GD1260 2nd Line Fax	
GN1050 Wireless LAN Adap	
GN2010 Bluetooth Adapter	
GN3010 Wireless Antenna	
GP1070 Data Overwrite Kit	
GP1080 IP SEC Enabler	
GS1010 Meta Scan Enabler	
GS1020 External Interface I	•
KP2004 HID SmartCard Au	
KP2005 MiFare SmartCard	Authentication































Corporate Office: 2 Musick, Irvine, CA 92618-1631/ Tel: 949/462-6000 East Coast: 959 Route 46 East, 5th Floor, Parsippany, NJ 07054 / Tel: 973/316-2700 Fax: 973/263-2393 Midwest: 8770 W. Bryn Mawr Ave., Suite 700, Chicago IL 60631 / Tel: 773/380-6000 Fax: 773/380-8077 South: 2037 Bakers Mill Rd., Dacula, GA 30019 / Tel: 678/546-9385 Fax: 000/000-0000 West Coast: 142 Technology, Suite 150, Irvine, CA 92618 / Tel: 949/462-6262 Fax: 949/462-2700

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates, based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

